

PTO-1449 REPRODUCED

ATTORNEY DOCKET NO.
125P/PCT/USAPPLICATION NO.
10/523,311INFORMATION DISCLOSURE CITATION
IN AN APPLICATION

(Use several sheets if necessary)

APPLICANT
SCHROFF, Robert W.FILING DATE
January 26, 2005GROUP/EXAMINER
1614/Unknown

U.S. PATENT DOCUMENTS

EXAM- INER INI- TIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE IF APPROPRIATE

FOREIGN PATENT DOCUMENTS

DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION YES NO

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

/R.H.	AA	Patent Abstract of Japan Application No. 09-197630, published Feb. 09, 1999.				
	AB	ISHIWATA, S. et al., "Inhibition of neointima formation by tranilast in pig coronary arteries after ballon angioplasty and stent implantation", J. Am. College of Cardiology, 2000, 35:1331-1337.				
	AC	KOHLE, et al., "Dialysis access failure: a sheep model of rapid stenosis", J. Vascular Surgery, 1999, 30:744-751.				
	AD	ROY-CHAUDHURY, P. et al., "Hemodialysis vascular access dysfunction from basic biology to clinical intervention", Adv. In Renal Replacement Therapy, 2002, 9:74-84.				
/R.H.	AE	YUDA, A. et al., "Angiotensin II receptor antagonist, L-158,809, prevents neointima formation in dog grafted veins", XP 002454103, J. Hypertension, 2000, page 582.				

EXAMINER /Raymond Henley III/

DATE CONSIDERED
10/21/2008